

# GENDRIVE®

## **FUEL CELL POWER for Today's Material Handling Equipment.**

In today's evolving material handling industry, operational performance enhancements are key to growing a thriving business. The predictability of your productivity can be the main differentiator separating you from your competition. Plug Power's GenDrive® hydrogen fuel cell systems elevate lift truck performance to exceed the demanding requirements of high-volume manufacturing, warehousing and distribution operations. Your reach trucks will move more pallets faster, as time spent dealing with depleted batteries is now eliminated.

### **Tested. Proven. Rugged. Reliable.**

GenDrive fuel cell electric vehicles have accumulated more than 150 million operating hours at customer sites globally. The standardized suite of GenDrive products are an economically-viable power solution designed to streamline operations and maximize fleet uptime, all while reducing greenhouse gas emissions at your facility.

- Increased Productivity
  - Higher throughput per shift
- Lower Operational Costs
  - Eliminate battery change out
- More Operational Space
  - Battery rooms eliminated
- Reduce dSite Emissions
  - Safe, clean, zero emission power sources
- Significantly Reduced Peak Power Demand Charges
  - Demands for high-cost electricity eliminated



**Powering Your Possibilities.**

## FUEL CELL HYBRID SYSTEM

Our proven combination of fuel cell stack and advanced power management technology balances the need for rapid acceleration with operational efficiency, while generating zero greenhouse gas emissions.

## SIMPLIFIED SYSTEM PLATFORM AND ELECTRICAL ARCHITECTURE

GenDrive fuel cells are designed with simplicity in mind. Platform design drives common parts, ensuring interchangeability between models, simplifying service and maximizing uptime.

Electric material handling equipment runs better on GenDrive fuel cells than on a fully-charged battery, 24x7. The unit's constant voltage provides less wear and tear on the truck's electronics, reducing maintenance costs.

## HYDROGEN STORAGE SYSTEM

GenDrive holds enough fuel to sustain a reach truck for an entire 8 hour shift. Fueled in approximately 2 minutes, GenDrive reduces vehicle and personnel downtime. Hydrogen fueling stations are placed in locations that maximize uptime for operators.

## SYSTEM CONTROLLER

GenDrive's ability to communicate with your lift truck helps monitor fuel cell stack and system performance to optimize output, support effective planned maintenance and reduce total cost of ownership.



## UNIT SIZE AND ELECTRICAL CONNECTOR

GenDrive is designed to fit seamlessly into the truck's existing battery compartment and comes equipped with the industry standard Anderson truck connector of your choice.

## FREEZER CAPABILITY

The power provided by GenDrive remains superior in freezer applications. Unlike lead-acid batteries, which deplete even faster in extremely low temperatures, the fuel cell units maintain constant performance, even in environments as low as -22°F.

PRODUCT SPECIFICATIONS	2100 SERIES	2300 SERIES	2400 SERIES	2600 SERIES	2700 SERIES
NOMINAL VOLTAGE	24	36	36	48	48
DIMENSIONS (L" X W" X H")*	Max: 40 x 14 x 30.6 Min: 36 x 12.76 x 30.8	38.3 x 17.75 x 30.75	38.3 x 20.25 x 30.75	Max: 43.9 x 24.1 x 30.75 Min: 38.3 x 22.5 x 30.75	44.3 x 27.9 x 30.75
WEIGHT (LBS)	Meets Minimum OEM Requirements				
OPERATING TEMP (°F)	-22 to 104				
FUELING					
HYDROGEN STORAGE (KG)	.7	1.1	1.1	1.1	1.1
PRESSURE	350 bar				
FILL TIME	< 2 min				

\*Additional dimensions available upon request. For supplementary product specs, please visit [www.plugpower.com](http://www.plugpower.com). Specifications subject to change without notice. Information based on standard products working under normal operating conditions.

**Corporate Headquarters**  
968 Albany Shaker Road  
Latham, NY 12110  
518.738.0320

**West Coast**  
15913 E. Euclid Ave.  
Spokane, WA 99216  
509.228.6500

**Europe**  
1 Place Paul Verlaine  
92100 Boulogne-Billancourt  
France



**PLUGPOWER.COM**  
gendrive@plugpower.com

052018